

- 1st International Symposium on the Role of Soy in Preventing and Treating Chronic Disease. Symposium proceedings. Mesa, Arizona, February 20-23, 1994. *J Nutr.* 1995;125(Suppl 3S):567S-909S.
- Abe N, Ebina T, Ishida N. Interferon induction by glycyrrhizin and glycyrrhetic acid in mice. *Microb Immunol.* 1982;26:535-9.
- Abraham GE, Lubran MM. Serum and red blood cell magnesium levels in patients with premenstrual tension. *Am J Clin Nutr.* 1981;34:2364-6.
- Agarwal RC, Singh SP, Saran RK et al. Clinical trial of guggulipid-A new hypolipidemic agent of plant origin in primary hyperlipidemia. *Indian J Med Res.* 1986;84:626-34.
- Age-Related Eye Disease Study Research Group. A randomized, placebo-controlled, clinical trial of high-dose supplementation with vitamins C and E, beta carotene, and zinc for age-related macular degeneration and vision loss. AREDS report No. 8. *Arch Ophthalmol.* 2001;119:1417-36.
- Agnusdei D, Bufalino L. Efficacy of ipriflavone in established osteoporosis and long-term safety. *Calcif Tissue Int.* 1997;61:S23-7.
- Agnusdei D, Camporeale A, Gonnelli S et al. Short-term treatment of Paget's disease of bone with ipriflavone. *Bone Miner.* 1992;19:S35-42.
- Agnusdei D, Gennari C, Bufalino L. Prevention of early postmenopausal bone loss using low doses of conjugated estrogens and the non-hormonal, bone-active drug ipriflavone. *Osteoporos Int.* 1995;5:462-6.
- Alexandersen P, Christiansen C, et al. Ipriflavone in the treatment of postmenopausal osteoporosis. *JAMA.* 2001;285:1482-8.
- Ali E, et al. *The Tea Tree Oil Bible: Your Essential Guide.* Ages Publishing; 1999.
- Alstat EK. Lomatium Dissectum-An Herbal Virucide? *Complement Med.* 1987;2:5.
- Anah CO, Jarike LN, Baig HA. High dose ascorbic acid in Nigerian asthmatics. *Trop Geogr Med.* 1980;32:132-7.
- Anderson JW, et al. Meta-analysis of the effects of soy protein intake on serum lipids. *N Engl J Med.* 1995;333:276-82.
- Andriani E, Bugli T, Aalders M, et al. The effectiveness and acceptance of a medical device for the treatment of aphthous stomatitis. Clinical observation in pediatric age. *Minerva Pediatr.* 2000;52:15-20.
- Angelitti AG, Colacicco L, Calla C, et al. Coenzyme Q: Potentially useful index of bioenergetic and oxidative status of spermatozoa. *Clin Chem.* 1995;41:217-9.
- Anmann W, Removing an obstipation using Agnolyt. *Ther Gegenw.* 1965;104:1263-1265.
- Annapurna V et al, Bioavailability of spirulina carotenes in preschool children. *J Clin Biochem Nutr.* 1991;10:145-51.

- Ascherio A, et al. Intake of potassium, magnesium, calcium, and fiber and risk of stroke among US men. *Circulation*. 1998;98:1198-204.
- Avorn J, Monane M, Gurwitz JH, et al. Reduction of bacteriuria and pyuria after ingestion of cranberry juice. *JAMA*. 1994;271:751-4.
- Ayehunie S, Belay A, Hu Y, Baba T, Ruprecht R. Inhibition of HIV-1 replication by an aqueous extract of *Spirulina platensis* (*Arthrospira platensis*). Seventh IAAA Conference, Knysna, South Africa, April 17, 1996.
- Babu M, et al. Evaluation of chemoprevention of oral cancer with spirulina. *Nutr Cancer*. 1995;24:197-202.
- Babu PS, Srinivasan K. Influence of dietary casaicin and onion on the metabolic abnormalities associated with streptozotocin induced diabetes mellitus. *Mol Cell Biochem*. 1997;175:49-57.
- Barefoot SF, Klaenhemmer TR. Detection and activity of lactacin B, a bacteriocins produced by *Lactobacillus acidophilus*. *Appl Environ Microbiol*. 1983;45:1808-1815.
- Barr W. Pyridoxine supplements in the premenstrual syndrome. *The Practitioner*. 1984;228:425-427.
- Bascher V, Steinert W. Differential diagnosis of sudden deafness and therapy with high dose infusions of ginkgo biloba extract. *Vertigo, Nausea, Tinnitus, and Hypoacusia in Metabolic Disorders*. Amsterdam, The Netherlands: Elsevier Science;1988:575-82.
- Baskaran K, Ahamath BK, Shanmugasundaram KR, Shanmugasundaram ER. Antidiabetic effect of a leaf extract from *Gymnema sylvestre* in non-insulin-dependent diabetes mellitus patients. *J Ethnopharmacol*. 1990;30:295-305.
- Bassett IB, et al. A comparative study of tea tree oil versus benzoyl peroxide in the treatment of acne. *Med J Aust*. 1990;153:455-8.
- Beard JL, Brel MJ, Derr J. Impaired thermoregulation and thyroid function in iron-deficiency anemia. *Am J Clin Nutr*. 1990;52:813-9.
- Beitner H. Randomized, placebo controlled, double-blind study on the clinical efficacy of a cream containing 5% alpha-lipoic acid related to photoaging of facial skin. *Br J Dermatol*. 2003;149:841-9.
- Bella R, Biondi R, Raffaele R, Pennisi G, Effects of acetyl-L-carnitine on geriatric patients suffering from dysthymic disorders. *Int J Clin Pharmacol Res* 1990;10:355-360.
- Bensky D, Gamble A. *Chinese Herbal Medicine. Materia Medica*. Seattle, WA: Eastland Press; 1993:300-301.
- Bent S, Kane C, Shinohara K, Neuhaus J, Hudes ES, Goldberg H, Avins AL. Saw palmetto for benign prostatic hyperplasia. *N Engl J Med*. 2006;354:557-66.
- Bentler SE, Hartz AJ, Kuhn EM. Prospective observational study of treatments for unexplained chronic fatigue. *J Clin Psychiatry*. 2005;66:625-32.
- Benton D, Roberts G. Effect of vitamin and mineral supplementation on intelligence of a sample of schoolchildren. *Lancet*. 1988;1:140-3.

- Berenguer J, Carrasco D. Double-blind trial of silymarin versus placebo in the treatment of chronic hepatitis. *Muench Med Wochenschr.* 1977;119:240-60.
- Berg A, et al. Influence of Echinacin (EC31) treatment on the exercise-induced immune response in athletes. *J Clin Res.* 1998;1:367-80.
- Berger R, Nowak H. A new medical approach to the treatment of osteoarthritis. Report of an open phase IV study with ademetionine (gumbaral). *Am J Med.* 1987;83:8408.
- Bergner P. *The Healing Power of Echinacea and Goldenseal.* Rocklin, CA: Prima Publishing; 1997:97-98.
- Berman M, Erman A, Ben-Gal T, et al. Coenzyme Q10 in patients with end-stage heart failure awaiting cardiac transplantation: A randomized, placebo-controlled study. *Clin Cardiol.* 2004;27:295-9.
- Bernstein D, et al. Calcium carbonate and the premenstrual syndrome: Effects of premenstrual and menstrual symptoms. Premenstrual Syndrome Study Group. *Am J Obstet Gynecol.* 1998;179:444-52.
- Beil W, Birkholz C, Sewing KF. Effects of flavonoids on parietal cell acid secretion, gastric mucosal prostaglandin production and *Helicobacter pylori* growth. *Arzneimittelforschung.* 1995;45:697-700.
- Bierenbaum ML, et al. Antioxidant effects of tocotrienols in patients with hyperlipidemia and carotid stenosis. *Lipids.* 1995;30:1179-80.
- Bischoff-Ferrari HA, Willett WC, Wong JB, et al. Fracture prevention with vitamin D supplementation: A meta-analysis of randomized controlled trials. *JAMA.* 2005;293:2257-64.
- Bleier W. Phytotherapy in irregular menstrual cycles or bleeding periods and other gynecological disorders of endocrine origin. *Zentrallblatt Gynakol.* 1959;81:701-709.
- Blonstein JL. Control of swelling in boxing injuries. *Practitioner.* 1960;185:78.
- Blumenthal M. Australian TGA publishes liver warning policy for black cohosh. *HerbalGram.* 2006;71:60-1.
- Blumenthal M, et al. *The Complete German Commission E Monographs.* Austin, TX: American Botanical Council; 1998:118.
- Bjelakovic G, Nikolova D, Gluud LL, et al. Mortality in randomized trials of antioxidant supplements for primary and secondary prevention: Systematic review and meta-analysis. *JAMA.* 2007;297:842-57.
- Block KI, Koch AC, Mead MN, et al. Impact of antioxidant supplementation on chemotherapeutic efficacy: A systematic review of the evidence from randomized controlled trials. *Cancer Treat Rev.* 2007;33:407-418.
- Boone K. Propolis: Nature's agent against infections. *Townsend Letter for Doctors & Patients.* 2000;159.
- Bottiglieri T, Hyland K. S-adenosylmethionine levels in psychiatric and neurological disorders: A review. *Acta Scandinavica Neurologica* 1994;89(154):19-26.
- Botto LD, Multinare J, Erickson JD. Occurrence of congenital heart defects in relation to maternal multivitamin use. *Am J Epidemiol.* 2000;151:878-84.

- Brady JA, Rock CL, Horneffer MR. Thiamin status, diuretic medications, and the management of congestive heart failure. *J Am Diet Assoc.* 1995;95:541-4.
- Brandt K. Effects of nonsteroidal antiinflammatory drugs on chondrocyte metabolism in vitro and in vivo. *Am J Med.* 1987;83:29-35.
- Braverman E. *The Healing Nutrients Within.* New Canaan, CT: Keats Publishing; 1997:9.
- Bravetti GO, Fraboni E, Maccolini E. Preventive medical treatment of senile cataract with vitamin E and Vaccinium myrtillus anthocyanosides: Clinical evaluation. *Annali di Ottalmologia e Clinica Oculista.* 1989;115:109-116.
- Braunig B et al. Echinacea purpurea radix. for strengthening the immune response in flu like infections. *zeit phytotherapie.* 1992;13:7-13.
- Bronner C, Landry Y. Kinetics of the inhibitory effect of flavonoids on histamine secretion from mast cells. *Agents Actions.* 1985;16:147-51.
- Brown D. *Herbal Prescriptions for Better Health.* Rocklin, CA: Prima Publishing; 1996:75.
- Brown D. *Herbal Prescriptions for Health & Healing.* Roseville, CA: Prima Publishing; 2000:208.
- Bu-Abbas A, Clifford MN, Walker R, et al. Selective induction of rat hepatic CYP1 and CYP4 proteins and of peroxisomal proliferation by green tea. *Carcinogenesis.* 1994;15:2575-9.
- Buck DS, Nidorf DM, Addino JG. Comparison of two topical preparations for the treatment of onychomycosis: Melaleuca alternifolia (tea tree) oil and clotrimazole. *J Fam Pract.* 38:601.
- Budoff MJ, Takasu J, Flores F, et al. Anti-atherosclerotic effect of aged garlic extract (Kyolic) in cardiac patients assessed by computed tomography. *Experiment Biol.* 2003;69:LB360.
- Burke BE, Neuenschwander R, Olson RD. Randomized, double-blind, placebo-controlled trial of coenzyme Q10 in isolated systolic hypertension. *South Med J.* 2001;94:1112-7
- Buscino L, Ioppi M, et al. Breast milk from mothers of children with newly developed eczema has low levels of long chain polyunsaturated fatty acids. *J Allergy Clin Immunol.* 1993;91:1134-9.
- Caan B, Neuhouser M, Aragaki A, et al. Calcium plus vitamin D supplementation and the risk of postmenopausal weight gain. *Arch Intern Med.* 2007;167:893-902.
- Cacciatore L, Cerio R, Ciarimboli M et al., The therapeutic effect of L-carnitine in patients with exercise-induced stable angina: A controlled study. *Drugs Exp Clin Res* 1991;17:225-235.
- Caceres DD, Hancke JL, Burgos RA, Wikman GK. Prevention of common colds with *Andrographis Paniculata* dried extract: A pilot, double-blind trial. *Phytotherapy.* 1997;4:101-4.
- Cagnacci A, Cannoletta M, Renzi A, et al. Prolonged melatonin administration decreases nocturnal blood pressure in women. *Am J Hypertens.* 2005;18(12 Pt 1):1614-8.
- Cannell JJ. Autism and vitamin D. *Med Hypotheses.* 2008;70:750-9.
- Cappuccio FP, et al. Does potassium supplementation lower blood pressure? A meta-analysis of published trials. *J Hypertens.* 1991;9:465-473.

Carraro JC, Raynaud JP, Koch G, et al. Comparison of phytotherapy (Permixon) with finasteride in the treatment of benign prostatic hyperplasia: A randomized international study of 1,098 patients. *Prostate*. 1996;29:231-40.

Caruso I, Pietrogrande V. Italian double-blind multicenter study comparing S-adenosylmethionine naproxen, and placebo in the treatment of degenerative joint disease. *Am J Med*. 1987;83:66-71.

Cavallo A, Daniels SR, Dolan LM, et al. Blood pressure-lowering effect of melatonin in type 1 diabetes. *J Pineal Res*. 2004;36:262-6.

Cazin JC, Cazin M, Gaborit JL, et al. A study of the effect of decimal and centesimal dilutions of arsenic on the retention and mobilization of arsenic in the rat. *Hum Toxicol*. 1987;6:315-20.

Cefalu W. Presentation at Fifty-seventh Annual Scientific Session of the American Diabetes Association Meeting, Boston, June 23, 1997.

Cesari M, Pahor M, Bartali B, et al. Antioxidants and physical performance in elderly persons: The Invecchiare in Chianti (InCHIANTI) study. *Am J Clin Nutr*. 2004;79:289-94.

Challier B, Perarnau JM, Viel JF. Garlic, onion and cereal fibre as protective factors for breast cancer: A French case-control study. *Eur J Epidemiol*. 1998;14:737-47.

Chandra RK. Effect of vitamin and trace-element supplementation on immune responses and infection in elderly subjects. *Lancet*. 1992;340:1124-7.

Chang HM, But PPH. *Pharmacology and Applications of Chinese Materia Medica*, Vol. 2. Hong Kong: World Scientific; 1987.

Chaudry PS, Cabera J, Juliani HR, Varma SD. Inhibition of human lens aldose reductase by flavonoids, sulindac, and indomethacin. *Biochem Pharmacol*. 1983;32:1995-8.

Chen YT, Zheng RL, Jia ZJ, Ju Y. Flavonoids as superoxide scavengers and antioxidants. *Free Radic Biol Med*. 1990;9:19-21.

Cherchi A, Lai C, Angelino F, et al., Effects of L-carnitine on exercise tolerance in chronic stable angina: A multicenter, double-blind, randomized, placebo-controlled crossover study. *Int J Clin Pharmacol Ther Toxicol* 1985;23:569-572.

Chrubasik S, Enderlein W, Bauer R, et al. Evidence for antirheumatic effectiveness of Herba Urtica dioicae in acute arthritis: A pilot study. *Phytomedicine*. 1997;4:105-8.

Cifone M, Alesse E, Di Marzio L, et al. Effect of L-carnitine treatment in vivo on apoptosis and ceramide generation in peripheral blood lymphocytes from AIDS patients. *Proc Assoc Am Physicians*. 1997;109:146-53.

Cipolli C, Chiari G, Effects of acetyl-L-carnitine on mental deterioration in the aged: Initial results. *Clin Ther* 1990;132:479-510.

Clarke R, Birks J, Nexo E, et al. Low vitamin B-12 status and risk of cognitive decline in older adults. *Am J Clin Nutr*. 2007;86:1384-91.

Coeugniet E, Kuhnast R, Recurrent candidiasis: Adjuvant immunotherapy with different Breithaupt-Grogler K, Ling M, Boudoulas H, Belz GG, Protective effect of chronic garlic intake on elastic properties of aorta in the elderly. *Circulation*. 1997;96:2649-55.

formulations of echinacin. *Therapiewoche*. 1986;36:3352.

Constantinidis J. Treatment of Alzheimer's disease by zinc compounds. *Drug Develop Res*. 1992; 27:1-14.

Cosgrove MC, Franco OH, Granger SP, et al. Dietary nutrient intakes and skin aging appearance among middle-aged American women. *Am J Clin Nutr*. 2007;86:1225-31.

Costa M, Canale D, Filicori M et al. L-carnitine in idiopathic asthenozoospermia: A multicenter study. Italian Study Group on Carnitine and Male Infertility. *Andrologia*. 1994;26:155-9.

Crook TH, et al. Effects of phosphatidylserine in age-associated memory impairment. *Neurology*. 1991;41:644-9.

Crook TH, et al. Effects of phosphatidylserine in Alzheimer's disease. *Psychopharmacol Bull*. 1992;28:61-6.

Cui Y, Shu XO, Gao YT, et al. Association of ginseng use with survival and quality of life among breast cancer patients. *Am J Epidemiol*. 2006;163:645-53.

Cumming RG, Mitchell P, Smith W. Diet and cataract: The Blue Mountains Eye Study. *Ophthalmology*. 2000;10:450-6.

Cummings S, Ullman D. *Everybody's Guide to Homeopathic Medicines*. Los Angeles, CA: Jeremy P. Tarcher, Inc; 1984.

Curhan GC, et al. A prospective study of the intake of vitamins C and B6, and the risk of kidney stones in men. *J Urol*. 1996;155:1847-51.

Das SK, Gulati AK, Singh VP. Deglycyrrhizinated licorice in aphthous ulcers. *J Assoc Physicians India*. 1989;37:647.

Davini P, et al. Controlled study on L-carnitine therapeutic efficacy in post-infarction. *Drugs Exp Clin Res*. 1992;18:355-65.

Dawson EB, et al. Effect of ascorbic acid on male fertility. *Ann NY Acad Sci*. 1987;498:312-23.

Dawson-Hughes B, Dallal GE, Krall EA, et al. Effect of vitamin D supplementation on wintertime and overall bone loss in healthy postmenopausal women. *Ann Intern Med*. 1991;115:505-12.

De Falco FA, et al. Effect of the chronic treatment with acetyl-L-carnitine in Down's syndrome. *Clin Ther*. 1994;144:123-7.

Dehghani F, Merat A, Panjehshahin MR, Handjani F. Healing effect of garlic extract on warts and corns. *Int J Dermatol*. 2005;44:612-5.

DeCaterina R, et al. N-3 fatty acid and renal disease. *Am J Kidney Dis*. 1994;24:397-415.

DeFeudis FV. *Ginkgo Biloba Extract (Egb 761): Pharmacological Activities and Clinical Applications*. Paris, France: Elsevier; 1991:143-46.

- Della Loggia, Ragazzi E, Tubaro A, et al. Anti-inflammatory activity of benzopyrones that are inhibitors of cyclo-oxygenase and lipo-oxygenase. *Pharmacol Res Commun*. 1988;20:S91-4.
- Deodhar SD, Sethi R, Srimal RC. Preliminary study on antirheumatic activity of curcumin. *Indian J Med Res*. 1980;71:632-4.
- Devaraj S, Jialal I. Alpha tocopherol supplementation decreases serum C-reactive protein and monocyte interleukin-6 in normal volunteers and type 2 diabetics. *Free Rad Biol Med*. 2000;29:790-2.
- DeWhalley CV, Rankin JF, Rankin SM, et al. Flavonoids inhibit the oxidative modification of low density lipoproteins. *Biochem Pharmacol*. 1990;39:1743-9.
- Diehm C, Trampisch HJ, Lange S, et al. Comparison of leg compression stocking and oral horse chestnut seed extract therapy in patients with chronic venous insufficiency. *Lancet*. 1996;347:292-4.
- Dingle JT. Cartilage maintenance in osteoarthritis: Interaction of cytokines, NSAID and prostaglandins in articular cartilage damage and repair. *J Rheumatol*. 1991;28(suppl):30-7.
- Dittmar FW, Bohnert KJ, et al. Premenstrual syndrome: Treatment with a phytopharmaceuticals. *Ther Gynakol*. 1992;5:60-68.
- Donaldson VW. A clinical study of visualization on depressed white blood cell count in medical patients. *Appl Psychophysiol Biofeedback*. 2000;25:117-28.
- Donath F, Quispe S, Diefenbach K, et al. Critical evaluation of the effect of valerian extract on sleep structure and sleep quality. *Pharmacopsychiatry*. 2000;33:47-53.
- Dorant E, Vander Brandt PA, et al. Garlic and its significance for the prevention of cancer in humans: A critical review. *Br J Cancer*. 1993;67:424-9.
- Dossey L. *Healing Words: The Power of Prayer and the Practice of Medicine*. New York, NY: HarperCollins; 1997:3.
- Douglas RM, Hemiliä H, Chalker E, Treacy B. Vitamin C for preventing and treating the common cold. *Cochrane Database Syst Rev*. 2007;3:CD000980.
- Duda RB, Zhong Y, Navas V, et al. American ginseng and breast cancer therapeutic agents synergistically inhibit MCF-7 breast cancer cell growth. *J Surg Oncol*. 1999;72:230-9.
- Duker EM, et al. Effects of extracts from *Cimicifuga racemosa* on gonadotropin release in menopausal women and ovariectomized rats. *Planta Medica*. 1991;57:420-424.
- Eby GA, Davis DR, Halcolmb WW. Reduction in the duration of common colds by zinc gluconate lozenges in a double-blind study. *Antimicrob Agents Chemother*. 1984;25:20-4.
- Eck-Enriquez K, Kiefer TL, Spriggs LL, Hill SM. Pathways through which a regimen of melatonin and retinoic acid induces apoptosis in MCF-7 human breast cancer cells. *Breast Cancer Res Treat*. 2000;61:229-39.
- Elingwood F. *American Materia Medica, Therapeutics, and Pharmacognosy*. Portland, OR: Eclectic Medical Publications; 1983.

- Etzel R. Special extract of *Boswellia serrata* (H15) in the treatment of rheumatoid arthritis. *Phytomedicine*. 1996;3:91-94.
- Evets LB, et al. Means to normalize the levels of immunoglobulin E using the food supplement spirulina. Grodenski State Medical University, Russian Federation Committee of Patents and Trade, January 15, 1994.
- Facchinetti F, et al. Oral magnesium successfully relieves premenstrual mood changes. *Obstet Gynecol*. 1991;78:177-81.
- Farmer ME et al. Physical activity and depressive symptomatology: The NHANES 1 epidemiologic follow-up study. *Am J Epidemiol*. 1988;1328:1340-51.
- Fawzi W, Herrera M, Willett W, et al. Dietary vitamin A intake and the risk of mortality among children. *Am J Clin N* 1994;59:401-8.
- Feldman HA, Johannes CB, McKinlay JB, Longcope C. Low dehydroepiandrosterone sulfate and heart disease in middle-aged men: Cross-sectional results from the Massachusetts Male Aging Study. *Ann Epidemiol*. 1998;8:217-28.
- Ferenci P, Dragosics B, Dittrich H et al. Randomized controlled trial of silymarin treatment in patients with cirrhosis of the liver. *J Hepatol*. 1989;9:105-13.
- Fernandes CF, et al. Control of diarrhea by Lactobacilli. *J Appl Nutr*. 1988;40:32-41.
- Ferrandini C, Droy-Lefaix MT, Christen Y. *Ginkgo Biloba Extract (Egb 761) as a Free Radical Scavenger*. Paris, France: Elsevier; 1993.
- Fink B, Steck SE, Wolff MS, et al. Dietary flavonoid intake and breast cancer survival among women on Long Island. *Cancer Epidemiol Biomarkers Prev*. 2007;16:2285-92.
- Fischer-Rasmussen W, Kjaer SK, Dahl C, et al. Ginger treatment of hyperemesis gravidarum. *Eur J Obstet Gynecol*. 1990;38:19-24.
- Ford ED, Giles WH. Serum vitamins, carotenoids, and angina pectoris: Findings from the National Health and Nutrition Examination Survey III. *Ann Epidemiol*. 2000;10:106-16.
- Folkers K. Relevance of the biosynthesis of coenzyme Q10 and of the four bases of DNA as a rationale for the molecular causes of cancer and a therapy. *Biochem Biophys Res Commun*. 1996;224:358-61.
- Folkers K, Simonsen R. Two successful double-blind trials with Coenzyme Q10 (vitamin Q10) and muscular dystrophies and neurogenic atrophies. *Biochem Biophys Ata*. 1995;1271:281-6.
- Forastiere F, Pistelli R, Sestini P, et al. Consumption of fresh fruit rich in vitamin C and wheezing symptoms in children. *Thorax*. 2000;55:283-288.
- Forgo I, Schimert G. The duration of effect of the standardized ginseng extract G115 in healthy competitive athletes (in German). *Notobene Medici*. 1985;15:636-40.

Freedman DM, Looker AC, Chang SC, Graubard BI. Prospective study of serum vitamin D and cancer mortality in the United States. *J Natl Cancer Inst.* 2007;99:1594-602.

Fujiki H, Yoshizawa S, Horiuchi T, et al. Anticarcinogenic effects of epigallocatechin gallate. *Prev Med.* 1992;21:503-9.

Fulder S, Kataria M, Gethyn-Smith B. A double-blind clinical trial of Panax ginseng in aged subjects. Presented at the Fourth International Ginseng Symposium, Daejeon, Korea, September 18-20, 1984.

Gabrielian ES, Shukarian AK, Goukasova GI, et al. A double blind, placebo-controlled study of *Andrographis paniculata* fixed combination Kan Jang in the treatment of acute upper respiratory tract infections including sinusitis. *Phytomedicine.* 2002;9:589-97.

Gallo M, et al. Pregnancy Outcomes Following Gestational Exposure to Echinacea, A Prospective Controlled Study. Toronto, Ontario, Canada: Hospital for Sick Children, the University of Toronto, Canadian College of Naturopathic Medicine; 1999.

Gambacciani M, Ciaponi M, Cappagli B et al. Effects of combined low dose of the isoflavone derivative ipriflavone and estrogen replacement on bone mineral density and metabolism in postmenopausal women. *Maturitas.* 1997;28:75-81.

Gambacciani M, Spinetti A, Cappagli B et al. Effects of ipriflavone administration on bone mass and metabolism in ovariectomized women. *J Endocrinol Invest.* 1993;16:333-7.

Gao CM, Takezaki T, Ding JH, Li MS. Protective effect of allium vegetables against both esophageal and stomach cancer: A simultaneous case-referent study of a high-epidemic area in Jiangsu Province, China. *J Cancer Res.* 1999;90:614-21.

Garfinkel D, Zisapel N, Wainstein J, Laudon M. Facilitation of benzodiazepine discontinuation by melatonin: A new clinical approach. *Arch Intern Med.* 1999;159:2456-60.

Gaspar AZ, Gasser P, Flammer J. The influence of magnesium on visual field and peripheral vasospasm in glaucoma. *Ophthalmologica.* 1995;209:11-3.

Gerard G. Anti-cancer therapy with bromelain. *Agress.* 1972;3:261-274.

Ghidini O, Azzurro M, Vita G, Sartori G. Evaluation of the therapeutic efficacy of L-carnitine in congestive heart failure. *Int J Clin Pharmacol Ther Toxicol.* 1988;26:217-20.

Ginde AA, Liu MC, Camargo CA Jr. Demographic differences and trends of vitamin D insufficiency in the US population, 1988-2004. *Arch Intern Med.* 2009;169:626-32.

Ginde AA, Mansbach JM, Camargo CA Jr. Association between serum 25-hydroxyvitamin D level and upper respiratory tract infection in the Third National Health and Nutrition Examination Survey. *Arch Intern Med.* 2009;169:384-90.

Giordano C, Perrotti G. Clinical studies of the effects of treatment with a combination of carnitine and cobamamide in infantile anorexia. *Clin Ther.* 1979;88:51-60.

Giovannucci E. Tomatoes, tomato-based products, lycopene, and cancer: Review of the epidemiologic literature. *J Natl Cancer Inst.* 1999;91:317-31.

- Giovannucci E, et al. Intake of carotenoids and retinol in relation to risk of prostate cancer. *J Natl Cancer Inst.* 1995;87:1767-76.
- Giovannucci E, Liu Y, Rimm EB, et al. Prospective study of predictors of vitamin D status and cancer incidence and mortality in men. *J Natl Cancer Inst.* 2006;98:451-9.
- Glowania HJ, Raulin C, Swoboda M. The effect of chamomile in healing wounds: A clinical, double-blind study. *Zeit fur Hautkrankheiten.* 1987;17:1262-71.
- Glynn RJ, Ridker PM, Goldhaber SZ, et al. Effects of random allocation to vitamin E supplementation on the occurrence of venous thromboembolism: Report from the Women's Health Study. *Circulation.* 2007;116:2128-35.
- Goldfine AB, Patti ME, Zuberi L, et al. Metabolic effects of vanadyl sulfate in humans with noninsulin-dependent diabetes mellitus: In vivo and in vitro studies. *Metabolism.* 2000;49:400-10.
- Goldin BR, et al. Estrogen patterns and plasma levels in vegetarian and omnivorous women. *New Engl J Med.* 1982;307:1542-7.
- Gonzalez NJ, Isaacs LL. Evaluation of pancreatic proteolytic enzyme treatment of adenocarcinoma of the pancreas, with nutrition and detoxification support. *Nutr Cancer.* 1999;33:117-24.
- Goto K, Kanaya S, Nishikawa T, et al. Green tea catechins improve gut flora. *Ann Long-Term Care.* 1998;6:1-7.
- Gottlieb SS, et al. Prognostic importance of serum magnesium concentration in patients with congestive heart failure. *J Am Coll Cardiol.* 1990;16:827-31.
- Grievink L, et al. Serum carotenoids, a-tocopherol, and lung function among Dutch elderly. *Am J Respir Crit Care Med.* 2000;161:790-95.
- Griffith RS, et al. A multicentered study of Lysine therapy in herpes simplex infection. *Dermatologica,* 1978;156:257-67.
- Grontved A, Brask T, et al. Ginger root against seasickness. *Acta Oto-Laryngol.* 1988;105:45-9.
- Gursche S. *Fantastic Flax.* Burnaby, British Columbia, Canada: Alive Books;1999.
- Gupta I, Parihar A, Malhotra P, et al. Effects of Boswellia serrata gum resin in patients with ulcerative colitis. *Eur J Med Res.* 1997;2:37-43.
- Hager K, Marahrens A, Kenklies M, et al. Alpha-lipoic acid as a new treatment option for Alzheimer type dementia. *Arch Gerontol Geriatr.* 2001;32:275-82.
- Haggans CJ, Travelli EJ, Thomas W, Martini MC, Slavin JL. The effect of flaxseed and wheat bran consumption on urinary estrogen metabolites in premenopausal women. *Cancer Epidemiol Biomarkers Prev.* 2000;9:719-25.
- Halpern G. *Ginkgo: A Practical Guide.* Garden City Park, NY: Avery Publishing; 1998:143-4.

Hamazaki T, Sawazaki S, Itomura M, et al. The effect of docosahexanoic acid on aggression in young adults: A placebo-controlled, double-blind study. *J Clin Invest.* 1996;97:1129-33.

Hank T, Bruckel MH. Treatment of moderately stable forms of angina pectoris with *Crataegutt novo*. *Therapiewoche.* 1983;33:4331-3.

Harel Z, Biro FM, Kottenhahn RK, Rosenthal SL. Supplementation with omega-3 polyunsaturated fatty acids in the management of dysmenorrhea in adolescents. *Am J Obstet Gynecol.* 1996;174:1335-8.

Harnischfeger G, Stolze H, Black cohosh. *Notabene Medici.* 1980;10:446-450.

Heaney RP, Dowell MS, Hale CA, Bendich A. Calcium absorption varies within the reference range for serum 25-hydroxyvitamin D. *J Am Coll Nutr.* 2003;22:142-6.

Heisel O, et al. Echiniguard treatment shortens the course of the common cold: A double-blind, placebo-controlled clinical trial. *Eur J Clin Res.* 1997;9:261-8.

Helen A, Krishnakumar K, Vijayammal PL, Augusti KT. Antioxidant effect of onion oil (*Allium cepa*. Linn) on the damages induced by nicotine in rats as compared to alpha-tocopherol. *Toxicol Lett.* 2000;116:61-8.

Hemilä H. Does vitamin C alleviate the symptoms of the common cold? A review of current evidence. *Scand J Infect Dis.* 1994;26:1-6.

Hertog MG, Feskens EJ, Hollman PC, et al. Dietary antioxidant flavonoids and risk of coronary heart disease: The Zutphen Elderly Study. *Lancet.* 1993;342:1007-11.

Hillstrom L, et al. Comparison of oral treatment with zinc sulfate and placebo in acne vulgaris. *Br J Dermatol.* 1977;97:679-684.

Hochman LG, Scher RK, Meyerson MS. Brittle nails: Response to daily biotin supplementation. *Cutis.* 1993;51:303-5.

Hodgson JM, Watts GF, Playford DA, et al. Coenzyme Q10 improves blood pressure and glycaemic control: A controlled trial in subjects with type 2 diabetes. *Eur J Clin Nutr.* 2002;56:1137-42.

Hofferberth B. The efficacy of Egb 761 in patients with senile dementia of the Alzheimer's type: A double blind, placebo controlled study on different levels of investigation. *Hum Psychopharmacol.* 1994;9:215-22.

Hofmann J, Fiebig HH, Winterhalter BR, et al. Enhancement of the antiproliferative activity of cisdiamminedichloroplatinum(II) by quercetin. *Int J Cancer.* 1990;45:536-9.

Hofman-Bang C, Rehnqvist N, Swedberg K, et al. Coenzyme Q10 as an adjunctive treatment of congestive heart failure. *J Card Fail.* 1995;1:101-7.

Hodge L, Salome CM, Peat JK, et al. Consumption of oily fish and childhood asthma risk. *Med J Aust.* 1996;164:137-40.

Hollman PC, Katan MB. Dietary flavonoids: Intake, health effects and bioavailability. *Food Chem Toxicol.* 1999;37:937-42.

Houck JC, Chang CM, Klein G. Isolation of an effective debriding agent from the stems of pineapple plants. *Int J Tissue React.* 1983;5:125-34.

- Howell AB, Vorsa N, Marderosian AD, et al. Inhibition of the adherence of P-fimbriated *Escherichia coli* to uroepithelial-cell surfaces by proanthocyanadin extracts from cranberries. *New Engl J Med*. 1998;339:1085-6.
- Horrobin DF. The role of essential fatty acids and prostaglandins in the premenstrual syndrome. *J Reprod Med*. 1993;28:465-68.
- Hug G, McGraw CA, Bates SR, Landrigan EA. Reduction of serum carnitine concentrations during anticonvulsant therapy with phenobarbital, valproic acid, phenytoin, and carbamazepine in children. *J Pediatr*. 1991;119:799-802.
- Humphreys F, Symons JA, Brown HK, et al. The effect of gamolenic acid on adult atopic eczema and premenstrual exacerbation of eczema. *Eur J Dermatol*. 1994;4:598-603.
- Husain S, Sibley C. Magnesium and pregnancy. *Min Elect M*. 1993;19:296-307.
- Huseini HF, Larijani B, Heshmat R, et al. Effect of *Silybum marianum* (L.) Gaertn. (silymarin) in the treatment of type II diabetes: Randomized, controlled, double-blind, placebo-controlled, clinical trial. *Phytother Res*. 2006;20:1036-9.
- Hayashi T, Hayashi K, et al. Calcium Spirulan, an inhibitor of enveloped virus replication from a blue-green alga *spirulina platensis*. *J Nat Product*. 1996;59:83-7.
- Hyodo T, Ono K, Koumi T, et al. A study of the effects of ipriflavone administration in hemodialysis patients with renal osteodystrophy: Preliminary report. *Nephron*. 1991;58:114-5.
- Hypponen E, Laara E, Reunanen A, et al. Intake of vitamin D and risk of type 1 diabetes: A birth-cohort study. *Lancet*. 2001;358:1500-3.
- Iliceto S, Scrutinio D, Bruzzi P, et al. Effects of L-carnitine administration on left ventricular remodeling after acute anterior myocardial infarction: The L-Carnitine Ecocardiografia Digitalizzata Infarto Miocardico (CEDIM) Trial. *J Am Coll Cardiol*. 1995;26:380-7.
- Ikeda I, Imsato Y, Sasaki E, et al. Tea catechins decrease micellar solubility and intestinal absorption of cholesterol in rats. *Biochimica et Biophysica Acta*. 1992;1127:141-6.
- Imai K, Nakachi K. Cross sectional study of effects of drinking green tea on cardiovascular and liver diseases. *BMJ*. 1995;310:693-6.
- Ino T, Sherwood WG, Benson LN, et al. Cardiac manifestations in disorders of fat and carnitine metabolism in infancy. *J Am Coll Cardiol*. 1988;11:1301-8.
- Jacob S, Lawrence R, Zucker M. *The Miracle of MSM. The Natural Solution for Pain*. New York, NY: Putnam; 1999:23.
- Jacob S, Rett K, Henriksen EJ, Haring HU. Thioctic acid—effects on insulin sensitivity and glucose-metabolism. *Biofactors*. 1999;10:169-74.
- Jacobs J, Jimenez LM, Gloyd SS, et al. Treatment of acute childhood diarrhea with homeopathic medicine: A randomized clinical trial in Nicaragua. *Pediatrics*. 1994;93:719-725.

Jacobsen S, Danneskiold-Samsoe B, Andersen RB. Oral S-sadenosylmethionine in primary fibromyalgia-Double blind clinical evaluation. *Scand J Rheumatol*. 1991;20:294-302.

Jensen B. *Foods That Heal*. Garden City Park, NY: Avery Publishing; 1998:140.

Johansson G, et al. Effects of magnesium hydroxide in renal stone disease. *J Am Coll Nutr*. 1982;1:179-85.

Johnson ES, Kadam NP, Hylands DM, et al. Efficacy of feverfew as a prophylactic treatment of migraine. *BMJ*. 1985;291:569-73.

Jones NL, Shabib S, Sherman PM. Capsaicin as an inhibitor of the growth of the gastric pathogen *Helicobacter pylori*. *FEMS Microbiol Lett*. 1997;146:223-7.

Jorde R, Sneve M, Figenschau Y, et al. Effects of vitamin D supplementation on symptoms of depression in overweight and obese subjects: randomized double blind trial. *J Intern Med*. 2008;264:599-609.

Josling P. Preventing the common cold with a garlic supplement: A double-blind, placebo-controlled survey. *Adv Ther*. 2001;18:189-93.

Josling P, Walpera A, Grunwald J, eds. The action of garlic in the pathogenesis of atherosclerosis: Selected abstracts from the 4th and International Congress on Phytotherapy. *Eur J Clin Res*. 1992;3A:1-12.

Judy WV, et al. Myocardial effects of Co-enzyme Q10 in primary heart failure. In: Folkers K, Yamamura Y. *Biomedical and Clinical Aspects of Coenzyme Q*. Vol. 4. Amsterdam, The Netherlands: Elsevier Science;1984: 353-67.

Jung F, Mrowietz C, et al. Effect of ginkgo biloba on fluidity of blood and peripheral microcirculation in volunteers. *Arzneim-Forsch Drug Res*. 1990;40:589-93.

Jurcic K, et al. Two test subject studies for the stimulation of granulocytes phagocytosis by echinacea-containing preparations. *Zeit Phytother*. 1989;10:66-70.

Kapoor LD. *Handbook of Ayurvedic Medicinal Plants*. Boca Raton, FL: CRC Press, 1990, pp. 200-201.

Kassir ZA. Endoscopic controlled trial of four drug regimens in the treatment of chronic duodenal ulceration. *Irish Med J*. 1985;78:153-6.

Kaul TN, Middleton E Jr, Ogra PL. Antiviral effect of flavonoids on human viruses. *J Med Virol*. 1985;15:71-9.

Keen H, Payan J, Allawi J, et al. Treatment of diabetic neuropathy with gamma-linolenic acid. *Diabetes Care*. 1993;16:8-15.

Kidd PM. *Phosphatidylserine: The Nutrient Building Block That Accelerates All Brain Functions and Counters Alzheimer's*. New Canaan, CT: Keats Publishing; 1998:8.

Kidd PM. Attention deficit/hyperactivity disorder (ADHD) in children: Rationale for its integrative management. *Altern Med Rev*. 2000;5:5.

Kim HP, Mani I, Ziboh VA. Effects of naturally-occurring flavonoids and biflavonoids on epidermal cyclooxygenase from guinea pigs. *Prostaglandins Leukot Essent Fatty Acids*. 1998;58:17-24.

Kirchfeld F, Boyle W. *Nature Doctors*. Portland, OR: Buckeye Naturopathic Press; 1994.

Kiremidjian-Schumacher L, et al. Supplementation with selenium and human immune cell functions. Effect on cytotoxic lymphocytes and natural killer cells. *Biol Trace Elem Res*. 1994;41:115-27.

Kishi T, Makino K, Okamoto T, et al. Inhibition of myocardial respiration by psychotherapeutic drugs and prevention by Coenzyme Q. In: Yamamura Y, Folkers K, Ito Y. *Biomedical and Clinical Aspects of Coenzyme Q*, Vol. 2. Amsterdam, The Netherlands: Elsevier/North-Holland Biomedical Press; 1980,139-45.

Kitts DD, Wijewickreme AN, Hu C. Antioxidant properties of a North American ginseng extract. *Mol Cell Biochem*. 2000;203:1-10.

Koutsikos D, Agroyannis B, Tzanatos-Exarchou H. Biotin for diabetic peripheral neuropathy. *Biomed Pharmacother*. 1990;44:511-4.

Krall EA, Wehler C, Garcia RI, et al. Calcium and vitamin D supplements reduce tooth loss in the elderly. *Am J Med*. 2001;15;111:452-6.

Kremer JM. N-3 fatty acid supplements in rheumatoid arthritis. *Am J Clin Nutr*. 2000;71(1 Suppl):349S–51S.

Kremer JM, Lawrence DA, Petrillo GF, et al. Effects of high-dose fish oil on rheumatoid arthritis after stopping nonsteroidal antiinflammatory drugs. *Arthritis Rheum*. 1995;38:1107-14.

Kucuk O, Sarkar FH, Djuric Z, et al. Effects of lycopene supplementation in patients with localized prostate cancer. *Exp Biol Med (Maywood)*. 2002;227:881-5.

Kuhlman MK, Horsch E, Burkhardt G, et al. Reduction of cisplatin toxicity in cultured renal tubular cells by the bioflavonoid quercetin. *Arch Toxicol*. 1998;72:536-40.

Kulichenko LL, Kireyeva LV, Malyshkina EN, Wikman G. A randomized, controlled study of Kan Jang versus amantadine in the treatment of influenza in Volgograd. *J Herb Pharmacother*. 2003;3:77-93.

Kulkarni RR, Patki PS, Jog VP, et al. Treatment of osteoarthritis with a herbomineral formulation: A double-blind, placebo-controlled, cross-over study. *J Ethnopharmacol*. 1991;33:91-5.

Kuo C, His C, Chieh I, Tsa Chih H. Effects of red ginseng on the congestive heart failure and its mechanism. *Res Section Cardiovasc Dis*. 1995;15:325-7.

Kuppurajan K, et al. *J Res Ayu Sid*. 1980;1:247. Cited in Bone K, Mills S. *Principles and Practice of Phytotherapy*. London: Church Livingstone; 2000:600.

Kurz C, Arbeiter K, Obermair A et al. L-carnitine-betamethasone combination therapy versus betamethasone therapy alone in prevention of respiratory distress syndrome. *Z Geburtshilfe Perinatol*. 1993;197:215-9.

Kuvaeva I, et al. The microecology of the gastrointestinal tract and the immunological status under food allergy. *Nahrung*. 1984;28:689-93.

- Kyriakidou-Himonas M, Aloia JF, Yeh JK. Vitamin D supplementation in postmenopausal black women. *J Clin Endocrinol Metab.* 1999;84:3988-90.
- Laakman G, Schule C, Baghai T, et al. St. John's wort in mild to moderate depression: The relevance of hyperforin for the clinical efficacy. *Pharmacopsychiatry.* 1998;31(suppl):54-9.
- Langsjoen PH. Supplemental ubiquinol in patients with advanced congestive heart failure. Presented at the 5th International CoQ10Conference. November 11, 2007, Kobe Gakuin University at Port Island, Kobe, Japan.
- Langsjoen P, Langsjoen R, Willis K, Folkers J. Treatment of essential hypertension with Coenzyme Q10. *Mol Aspects Med.* 1994;15(Suppl):s265-72.
- Langsjoen H, Langsjoen P, Langsjoen P, et al. Usefulness of coenzyme Q10 in clinical cardiology: A long-term study. *Mol Aspects Med.* 1994;15(Suppl):s165-74.
- Larsson SC, Wolk A. Magnesium intake and risk of type 2 diabetes: A meta-analysis. *J Intern Med.* 2007;262:208-214.
- Lawrence RM. Methylsulfonylmethane (MSM): A double-blind study of its use in degenerative arthritis. *Int J Anti-Aging Med.* 1998;1:50.
- Lawrence RM. The effectiveness of the use of oral liginisul MSM (methylsulfonylmethane) supplementation on hair and nail health. [preliminary correspondence]. Carol Wood Corporation; 2000.
- Leaf A. Dietary prevention of coronary heart disease: The Lyon Heart Study. *Circulation.* 1999;99:733-5.
- Lee J. *What Your Doctor May Not Tell You About Menopause.* New York, NY: Warner Books; 1996:72.
- Lee NA, Reasner CA. Beneficial effect of chromium supplementation on serum triglyceride levels in NIDDM. *Diabetes Care.* 1994;17:1449-52.
- Leung AY, Foster S. *Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics.* 2nd ed. New York, NY: John Wiley and Sons; 1995: 110.
- Leuschner M, Leuschner U, Lazarovici D, et al. Dissolution of gallstones with an ursodeoxycholic acid menthol preparation: A controlled prospective double blind trial. *Gut.* 1988;29:428-32.
- Lewin A, et al. The effect of coenzyme Q10 on sperm motility and function. *Molecular Aspects Med.* 1997;18(suppl):213-29.
- Linde K, Ramirez G, Mulrow CD, et al. St. John's wort for depression-an overview and meta-analysis of randomized clinical trials. *BMJ.* 1996;313:253-8.
- Lindenberg VD, Pitule-Schoedel H. DL-Kavain in comparison with oxazepam in anxiety states: Double-blind clinical study. *Frotschritte der Therapie* 1990;108:31-4.
- Lips P, et al. The effect of vitamin D supplementation on vitamin D status and parathyroid function in elderly subjects. *J Clin Endocrinol Metab.* 1988;67:644-50.

- Lissoni P, Galli MA, Tancini G, Barni S. Prevention by L-carnitine of interleukin-2 related cardiac toxicity during cancer immunotherapy. *Tumori*. 1993;79:202-4.
- Lissoni P, et al. Decreased toxicity and increased efficacy of cancer chemotherapy using the pineal hormone melatonin in metastatic solid tumour patients with poor clinical status. *Eur J Cancer*. 1999;35:1688-92.
- Liu JH, Chen GH, Yeh HZ, Huang CK, Poon SK. Enteric-coated peppermint-oil capsules in the treatment of irritable bowel syndrome: A prospective, randomized trial. *J Gastroenterol*. 1997;32:765-8.
- Liu WK, Xu SX, Che CT. Anti-proliferative effect of ginseng saponins on human prostate cancer cell line. *Life Sci*. 2000;67:1297-306.
- Lockwood K, Moesgaard S, Yamamoto T, et al. Progress on therapy of breast cancer with vitamin Q10 and the regression of metastases. *Biochem Biophys Res Commun* 1995;212:172-7.
- London RS, Murphy L, Kitlowski KE, Reynolds MA. Efficacy of alpha-tocopherol in the treatment of the premenstrual syndrome. *J Reprod Med*. 1987;32:400-4.
- Looker AC, Dallman PR, Carroll MD, et al. Prevalence of iron deficiency in the United States. *JAMA*. 1997;277:973-6.
- Loria CM, Klag MJ, Caufield LE, et al., Vitamin C status and mortality in U.S. adults. *Am J Clin Nutr*. 2000;72:139-45.
- Losonczy KG, et al. Vitamin E and vitamin C supplement use and risk of all-cause and coronary heart disease mortality in older persons: The Established Populations for Epidemiologic Studies of the Elderly. *Am J Clin Nutr*. 1996;64:190-6.
- Lovegrove JA, Clohessy A, Milon H, Williams CM, Modest doses of beta-glucan do not reduce concentrations of potentially atherogenic lipoproteins. *Am J Clin Nutr*. 2000;72:49-55.
- Luaritzen CH, Reuter HD, et al. Treatment of premenstrual syndrome with vitex agnus castus: Controlled, double-blind study versus pyridoxine. *Phytomedicine*. 1997;4:183-189.
- Ma DF, Qin LQ, Wang PY, Katoh R. Soy isoflavone intake inhibits bone resorption and stimulates bone formation in menopausal women: Meta-analysis of randomized controlled trials. *Eur J Clin Nutr*. 2007;62:155-61.
- Maccagno A, DiGirogio EE, Caston OL, Sagasta CL. Double-blind controlled clinical trial of oral S-adenosylmethionine versus piroxicam in knee osteoarthritis. *Am J Med*. 1987;83:72-7.
- Maestroni GJ, Conti A, Pierpaoli W. Pineal melatonin, its fundamental immunoregulatory role in aging and cancer. *Ann N Y Acad Sci*. 1988;521:140-8.
- Maggioni M et al. Effects of phosphatidylserine therapy in geriatric subjects with depressive disorders. *Acta Psychiatrica Scandinavia*. 1990;81:265-70.
- Mancini M, Agozzino B, and Bompani R. Clinical and therapeutic effects of Ginkgo biloba extract (GBE) versus placebo in the treatment of psychoorganic senile dementia of arteriosclerotic origin. *Gaz Med Ital*. 1993;152:69-80.

Manson JE, Hu FB, Rich-Edwards JW et al. A prospective study of walking as compared with vigorous exercise in the prevention of coronary artery disease in women. *N Engl J Med*. 1999;341:650-8.

Marelli MM, Limonta P, Maggi R, Motta M, Moretti RM. Growth-inhibitory activity of melatonin on human androgen-independent DU 145 prostate cancer cells. *Prostate*. 2000;45:238-44.

Maresta A, Balducci M, Varani E, et al. Prevention of postcoronary angioplasty restenosis by omega-3 fatty acids: Main results of the Esapent for Prevention of Restenosis Italian Study (ESPRIT). *Am Heart J*. 143:E5.

Marlett J, Cheung T. Database and quick methods of assessing typical dietary fiber intakes using data for 228 commonly consumed foods. *J Am Diet Assoc*; 1997;97:1139-47.

Marmar JL, Katz S, Praiss DE, DeBenedictis TJ. Semen zinc levels in infertile and postvasectomy patients and patients with prostatitis. *Fertil Steril* 1975;26:1057-63

Martin J, Wang ZQ, Zhang XH, et al. Chromium picolinate supplementation attenuates body weight gain and increases insulin sensitivity in subjects with type 2 diabetes. *Diabetes Care*. 2006;29:1826-32.

Martinez B, Kasper S, Ruhrman S, et al. Hypericum in the treatment of seasonal affective disorders. *J Geriatrics Psychiatr Neurol*. 1994;(suppl 1):S29-33.

Martins D, Wolf M, Pan D, et al. Prevalence of cardiovascular risk factors and the serum levels of 25-hydroxyvitamin D in the United States. *Arch Intern Med*. 2007;167:1159-65.

Maton PN, Burton ME. Antacids revisited: A review of their clinical pharmacology and recommended therapeutic use. *Drugs*. 1999;57:855-70.

Mavlit G, Ishii Y, Patt Y, et al. Local xenogenic graft-vs-host reaction: A practical assessment of T-cell function among cancer patients. *J Immunol*. 1979;123:2185-2188.

Mazzuoli G, Romagnoli E, Carnevale V, et al. Effects of ipriflavone on bone remodeling in primary hyperparathyroidism. *Bone Miner*. 1992;19:S27-33.

McCune MA, et al. Treatment of recurrent herpes simplex infections with L-Lysine hydrochloride. *Cutis*, 1984;34:366-73.

McKenney JM, et al. A comparison of the efficacy and toxic effects of sustained vs immediate release niacin in hypercholesterolemic patients. *JAMA* 1994;271:672-677.

McMurdo ME, Argo I, Phillips G, et al. Cranberry or trimethoprim for the prevention of recurrent urinary tract infections? A randomized controlled trial in older women. *J Antimicrob Chemother*. 2009;63:389-95.

McNaughton L. A comparison of Chinese and Russian ginseng as ergogenic acids to improve various facets of physical fitness. *Int Clin Nutr Rev*. 1989;9:32-5.

Melchior J, Spasov AA, Ostrovskij OV, et al. Double-blind, placebo-controlled pilot and phase III study of activity of standardized *Andrographis paniculata* Herba Nees extract fixed combination (Kan jang) in the treatment of uncomplicated upper-respiratory tract infection. *Phytomedicine*. 2000;7:341-50.

Melegh B, Pap M, Molnar D, et al. Carnitine administration ameliorates the changes in energy metabolism caused by short-term pivampicillin medication. *Eur J Pediatr*. 1997;156:795-9.

Melis GB, Paoletti AM, Cagnacci L, et al. Lack of any estrogenic effect of ipriflavone in postmenopausal women. *J Endocrin Invest.* 1992;15:755-61.

Merck Manual. 17th ed. Merck Laboratories; 1999:298.

Michelsson G, et al. A double-blind study of the effect of zinc and oxytetracycline in acne vulgaris. *Br J Dermatol.* 1977;97:561-6.

Milewica A, Gejdel E, et al. Vitex agnus castus extract in the treatment of luteal phase defects due to hyperprolactinemia. Results of a randomized placebo-controlled double-blind study. *Arzneim-Forsch Drug Res.* 1993;43:752-756.

Miljanovic B, Trivedi KA, Dana MR, et al. Relation between dietary n-3 and n-6 fatty acids and clinically diagnosed dry eye syndrome in women. *Am J Clin Nutr.* 2005;82:887-93.

Miller AL. Antioxidant flavonoids: Structure, function and clinical usage. *Alt Med Rev.* 1996;1:103-11.

Miller ER 3rd, Pastor-Barriuso R, Dalal D, et al. Meta-analysis: High-dosage vitamin E supplementation may increase all-cause mortality. *Ann Intern Med.* 2005;142:37-46.

Mills S, Bone K. *Principles and Practice of Phytotherapy.* London, England: Churchill Livingstone; 2000.

Mitscher L. *The Green Tea Book.* Garden City Park, NY: Avery Publishing; 1998:119.

Mitsuoka T. Intestinal flora and aging. *Nutr Rev.* 1992;50:438-446.

Mittman P. Randomized, double-blind study of freeze-dried *Urtica dioica* in the treatment of allergic rhinitis. *Planta Medica* 1990;56:44-47.

Miura S, Watanabe J, Tomita T, et al. The inhibitory effects of tea polyphenols (flavan-3-ol derivatives) on Cu²⁺ mediated oxidative modification of low density lipoprotein. *Biol Pharma Bull.* 1994;17:1567-72.

Mizuno K, Tanaka M, Nozaki S, et al. Antifatigue effects of coenzyme Q10 during physical fatigue. *Nutrition.* 2008;24:616.

Mohr H, Clinical investigations of means to increase lactation. *Deutsche Medizinische Wochenschrift.* 1954;79:1513-1516.

Monostory K, Vereczkey L. Interaction of theophylline and ipriflavone at the cytochrome p450 level. *Eur J Drug Metab Pharmacokinet.* 1995;20:43-7.

Monteleone P et al. Blunting by chronic phosphatidylserine administration of the stress induced activation of the hypothalamo-pituitary-adrenal axis in healthy men. *Eur J Clin Pharmacol.* 1992;41:385-8.

Morazzoni P, Magistretti MJ, Activity of Myrtocyan, an anthocyanosides complex from *Vaccinium myrtillus* (VMA), on platelet aggregation and adhesiveness. *Fitoterapia.* 1990;61:13-21.

Morcus NC. Modulation of lipid profile by fish oil and garlic combination. *J Natl Med Assoc.* 1997;89:673-8.

- Moretti S, Alesse E, Di Marzio L, et al. Effect of L-carnitine on human immunodeficiency virus-1 infection-associated apoptosis: A pilot study. *Blood*. 1998;91:3817-24.
- Morgan AG, McAdam WAF, Pacsoo C, et al. Comparison between cimetidine and Caved-S in the treatment of gastric ulceration, and subsequent maintenance therapy. *Gut*. 1982;23:545-51.
- Moriyama Y, Yasue H, Yoshimura M, et al. The plasma levels of dehydroepiandrosterone sulfate are decreased in patients with chronic heart failure in proportion to the severity. *J Clin Endocrinol Metab*. 2000; 85:1834-40.
- Morisco C, Trimarco B, Condorelli M. Effect of coenzyme Q10 therapy in patients with congestive heart failure: A long-term, multicenter, randomized study. *Clin Investig*. 1993;71:S134-6.
- Morris MC, Evans DA, Bianias JL, et al. Dietary niacin and the risk of incident Alzheimer's disease and of cognitive decline. *J Neurol Neurosurg Psychiatry*. 2004;75:1093-99.
- Moscarin M, Patacchiola F, Spacca G, et al. New perspectives in the treatment of postmenopausal osteoporosis: Ipriflavone. *Gynecol Endocrinol*. 1994;8:203-7.
- Mossad SB, Macknin ML, Mdendorp SV, Mason P. Zinc gluconate lozenges for treating the common cold: A randomized, double-blind placebo-controlled study. *Ann Intern Med*. 1996;125:81-8.
- Mowrey DB, Clayson DE. Motion sickness, ginger, and psychophysics. *Lancet*. 1982;I:655-7.
- Mulder JW et al. Dehydroepiandrosterone as predictor for progression to AIDS in asymptomatic human immunodeficiency virus type infected men. *J Infect Dis*. 1992;165:413-8.
- Muller-Fassbender H. Double-blind clinical trial of S-adenosylmethionine versus ibuprofen in the treatment of osteoarthritis. *Am J Med*. 1987;83:81-3.
- Munger KL, Zhang SM, O'Reilly E, et al. Vitamin D intake and incidence of multiple sclerosis. *Neurology*. 2004;62:60-5.
- Murphy JJ, Heptinstall S, Mitchell JRA. Randomized double-blind placebo controlled trial of feverfew in migraine prevention. *Lancet*. 1988;189-92.
- Murray M. *The Healing Power of Herbs*. Rocklin, CA: Prima Publishing; 1995:34.
- Murray MT. *Encyclopedia of Nutritional Supplements*. Rocklin, CA: Prima Publishing; 1996:402.
- Muth E, Laurent OD, Jasper P. *Altern Med Rev*. 2000;5:164-73.
- Nagao T, Ibayashi S, Fujii K, et al. Treatment of warfarin-induced hair loss with ubidecarenone. *Lancet*. 1995;346:1104-5.
- Nakachi K, Suemasu K, Suga K et al. Influence of drinking green tea on breast cancer malignancy among Japanese patients. *Japan J Cancer Res*. 1998;89:254-61.
- Nayaka N, et al. *Nutr Rep Int*. 1988;37:1329-37.

- Nicastri PL, Diaferi A, Tartagni M, et al. A randomized placebo-controlled trial of ursodeoxycholic acid and S'Adenosylmethionine in the treatment of intrahepatic cholestasis of pregnancy. *Br J Obstet Gynaecol.* 1998;105:1205-7.
- Nieper HA. A program for the treatment of cancer. *Krebs.* 1974;6:124-127.
- Nieper HA. Effect of bromelain on coronary heart disease and angina pectoris. *Acta Med Empirica.* 1978;5:274-8.
- Nesselhut T, et al. Examination of the proliferative potential of phytopharmaceuticals with estrogen-mimicking acting in breast carcinoma. *Arch Gynecol Obstet* 1993;254:817-8.
- Neubauer RA. A plant protease for potentiation of and possible replacement of antibiotics. *Exp Med Surg.* 1961;19:143-160.
- Newsome DA, Swarz M, Leone NC, et al. Oral zinc in macular degeneration. *Arch Ophthalmol.* 1988;106:192-8.
- Nityanand S, Srivastava JS, Athana OP. Clinical trials with guggulipid: A new hypolipidemic agent. *J Assoc Physicians India.* 1989;37:323-8.
- Noto R, et al. Free fatty acids and carnitine in patients with liver disease. *Curr Ther Res.* 1986;40:35-9.
- Ohinishi S, et al. The effect of Coenzyme Q10 on premature ventricular contraction. In: Folkers K, Yamamura Y. *Biomedical and Clinical Aspects of Coenzyme Q10*, Vol. 5. Amsterdam, the Netherlands: Elsevier Science; 1986: 257-66.
- Okabayashi Y, Tani S, Fujisawa T et al. Effect of *Gymnema sylvestre*, R.Br. on glucose homeostasis in rats. *Diabetes Res Clin Pract.* 1990;9:143-8.
- Ondrizek RR, et al. Inhibition of human sperm motility by specific herbs used in alternative medicine. *J Assist Reprod Genet.* 1999;16:87-91.
- Ooshima T, Minami T, Aono W et al. Reduction of dental plaque deposition in humans by oolong tea extract. *Caries Res.* 1994;28:146-9.
- Overmyer M. Saw palmetto shown to shrink prostatic epithelium. *Urology Times.* 1999;27:1, 42.
- Pace-Asciak CR, Hahn S, Diamandis EP, et al. The red wine phenolics trans-resveratrol and quercetin block human platelet aggregation and eicosanoid synthesis: Implications for protection against coronary heart disease. *Clin Chim Acta,* 1995;235:207-19.
- Packer L, Colman C. *The Antioxidant Miracle.* New York, NY: John Wiley and Sons; 1999:143.
- Palasciano G, Portincasa P, Palmeri V, et al. The effect of silymarin on plasma levels of malon-dialdehyde in patients receiving long-term treatment with psychotropic drugs. *Curr Ther Res.* 1994;55:537-45.
- Paronzini S, Indemini P. Modifications of the macular recovery tests in normal subjects after administration of anthocyanosides. *Bolletino de Pculistica.* 1988;67:185-8.

Perdigon G, Vintini E, Alvarez S, et al. Study of the possible mechanisms involved in the mucosal immune system activation by lactic acid bacteria. *J Dairy Sci.* 1999;82:1108-14.

Petho A. Menopausal complaints: Changeover of a hormone treatment to a herbal gynecological remedy practicable? *Arzliche Praxis.* 1987;38:1551-53.

Phelps S, Harris WS. Garlic supplementation and lipoprotein oxidation susceptibility. *Lipids.* 1993;28:475-7.

Pignatelli P, Pulcinelli FM, Lenti L, et al. Vitamin E inhibits collagen-induced platelet activation by blunting hydrogen peroxide. *Atheroscler Thromb Vasc Biol.* 1999;2542-7.

Pike J, Chandra RK. Effect of vitamin and trace element supplementation on immune indices in healthy elderly. *Int J Vitam Nutr Res.* 1995;65:117-21.

Pizarro F, Yip R, Dallman PR, et al. Iron status with different infant feeding regimens: Relevance to screening and prevention of iron deficiency. *J Pediatr.* 1991;118:687-92.

Pizorno J. *Total Wellness.* Rocklin, CA: Prima Publishing; 1998:120-1.

Plemons JM, Rees TD, Binnie WH, et al. Evaluation of acemannan in the treatment of recurrent aphthous stomatitis. *Wounds.* 1994;6:40-5.

Plioplys AV, Plioplys S. Amantadine and L-carnitine treatment of chronic fatigue syndrome. *Neuropsychobiology.* 1997;35:16-23.

Plotnick GD, Corretti MC, Vogel RA. Effect of antioxidant vitamins on the transient impairment of endothelium-dependent brachial artery vasoactivity following a single high-fat meal. *JAMA.* 1997;278:1682-6.

Polsa K, Raghuram TC, Krishna TP, et al. Effect of turmeric on urinary mutagens in smokers. *Mutagenesis.* 1992;2:107-9.

Prakash AO, Mather S, Mather R. Effect of feeding *Gymnema sylvestre* leaves on blood glucose in beryllium nitrate treated rats. *J Ethnopharmacol* 1986;18:143-6.

Press RI, Geller J, Evans GW. The effect of chromium picolinate on serum cholesterol and apolipoprotein fractions in human subjects. *Western J Med.* 1993;152:41-5.

Preston-Martin S, Pogoda JM, Mueller BA, et al. Prenatal vitamin supplementation and risk of childhood brain tumors. *Int J Cancer Suppl.* 1998;11:17-22.

Qishen P, et al. Enhancement of endonuclease activity and repair DNA synthesis by polysaccharide of spirulina. *Chinese Genetics J.* 1988;15:374-81.

Rabbani N, Alam SS, Riaz S, et al. High-dose thiamine therapy for patients with type 2 diabetes and microalbuminuria: A randomized, double-blind placebo-controlled pilot study. *Diabetologia.* 2009;52:208-12

Rabinovitz H, Friedensohn A, Leibovitz A, et al. Effect of chromium supplementation on blood glucose and lipid levels in type 2 diabetes mellitus elderly patients. *Int J Vitam Nutr Res.* 2004;74:178-82.

Racz-Kotilla E, Racz G, Solomon A, The action of Taraxacum officinale extracts on the body weight and diuresis of laboratory animals. *Planta Medica*. 1974;26:212-7.

Rai GS, Shovlin C, Wesnes K. A double blind, placebo-controlled study of Ginkgo biloba extract (Tankan) in elderly outpatients with mild to moderate memory impairment. *Curr Med Res Opin*. 1991;12:350-5.

Rainsford KD. Mechanisms of NSAIDs on joint destruction in osteoarthritis. *Agents Actions*. 1993;44(suppl):39-43.

Reddy GK, Chandraksan G, Dhar SC. Studies on the metabolism of glycosaminoglycans under the influence of new herbal antiinflammatory agents. *Biochem Pharm*. 1989;38:3527-34.

Reid IR, et al. Effects of calcium supplementation on bone loss in postmenopausal women. *New Engl J Med*. 1993;12:S11-6.

Reiter WJ, Pycha A, Schatzl G, et al. Dehydroepiandrosterone in the treatment of erectile dysfunction: A prospective, double-blind, randomized, placebo-controlled study. *Urology*. 1999;53:590-5.

Reljanovic M, Reichel G, Rett K, et al. Treatment of diabetic polyneuropathy with the antioxidant thioctic acid (alpha-lipoic acid): A two year multicenter randomized double-blind placebo-controlled trial (ALADIN II). Alpha Lipoic Acid in Diabetic Neuropathy. *Free Radic Res*. 1999;31:171-9.

Rettger LF, et al. *Lactobacillus Acidophilus. Its Therapeutic Application*. New Haven, CT: Yale University Press; 1935.

Ringsdorf WM, Cheraskin E. Nutritional aspects of urolithiasis. *South Med J*. 1981;74:41-4.

Rohn R, Pleban P, Jenkins L. Magnesium, zinc, and copper in plasma and blood cellular components in children with IDDM. *Clin Chim A*. 1993;215:21-8.

Rotter SM, et al. Soy protein and isoflavones: Their effects on blood lipids and bone density in postmenopausal women. *Am J Clin Nutr*. 1998;68:1375S-9S.

Rozen TD, Oshinsky ML, Gebeline CA, et al. Open label trial of coenzyme Q10 as a migraine preventive. *Cephalalgia*. 2002;22:137-41.

Rudnicki P, Frolich A, Fishcer-Rasmussen W. Magnesium supplementation in pregnancy induced hypertension and preeclampsia. *Acta Obst Gyn Sci*. 1994;73:526-30.

Rudofsky G. Improving venous tone and capillary sealing. Effect of a combination of Ruscus extract and hesperidine methyl chalcone in healthy probands in heat stress. *Forsch Med*. 1989;107:52-5.

Ruhnau KJ, Meissner HP, Finn JR, et al. Effects of 3-week oral treatment with the antioxidant thioctic acid (alpha-lipoic acid) in symptomatic diabetic polyneuropathy. *Diabet Med*. 1999;16:1040-43.

Rundek T, Naini A, Sacco R, et al. Atorvastatin decreases the coenzyme Q10 level in the blood of patients at risk for cardiovascular disease and stroke. *Arch Neurol*. 2004;61:889-92.

Sachan DS et al. Ameliorating effects of carnitine and its precursors on alcohol induced fatty liver. *Am J Clin Nutr*. 1984;39:738-44.

Sack RL, Brandes RW, Kendall AR, Lewy AJ. Entrainment of free-running circadian rhythms by melatonin in blind people. *N Engl J Med.* 2000;343:1070-7.

Sacks FM, Bray GA, Carey VJ, et al. Comparison of weight loss diets with different compositions of fat, protein, and carbohydrate. *N Engl J Med.* 2009;360:859-73.

Sacks FM, Stone PH, Gibson CM, et al. Controlled trial of fish oil for regression of human coronary atherosclerosis. HARP Res Group. *J Am Coll Cardiol.* 1995;25:1492-8.

Saija A, Scalese M, Lanza M, et al. Flavonoids as antioxidant agents: Importance of their interaction with biomembranes. *Free Radic Biol Med.* 1995;19:481-6.

Sanchez A, et al. Role of sugars in human neutrophilic phagocytosis. *Am J Clin Nutr.* 1973;26:1180-84.

Sandor PS, Di Clemente L, Coppola G, et al. Efficacy of coenzyme Q10 in migraine prophylaxis: A randomized controlled trial. *Neurology.* 2005;64:713-5.

Satoskar RR, Shah SJ, Shenoy SG. Evaluation of antiinflammatory property of curcumin in patients with postoperative inflammation. *Int J Clin Pharmacol Ther Toxicol.* 1986;24:651-4.

Scheer FA Van Montfrans GA, van Someren EJ, et al. Daily nighttime melatonin reduces blood pressure in male patients with essential hypertension. *Hypertens.* 2004;43:192-7.

Scheffler NM, Sheitel PL, Lipton MN. Treatment of painful diabetic neuropathy with capsaicin 0.075 percent. *Journal Am Podiatr Med Assoc.* 1991;81:288-93.

Schneider B. Ginkgo biloba extract in peripheral arterial disease. Meta-analysis of controlled clinical trials. *Arzneim-Forsch Drug Res.* 1992;42:428-36.

Schoenberger D. The influence of immune stimulating effects of a pressed juice from echinacea pupurea on the course and severity of colds, results of a double blind study. *Forum Immunol.* 1992;8:2-12.

Schoenen J, Jacquy J, Lenaerts M. Effectiveness of high-dose riboflavin in migraine prophylaxis. A randomized controlled trial. *Neurology.* 1998;50:466-70.

Schubert H, Halama P. Depressive episode primarily unresponsive to therapy in elderly patients. Efficacy of Ginkgo biloba extract (Egb 761) in combination with antidepressants. *Geriatr Forsch.* 1993;3:45-53.

Seddon JM, et al. Dietary carotenoids, vitamin A, C, and E, and advanced age-related macular degeneration. *JAMA.* 1994;272:1413-20.

Semba R, et al. Increased mortality associated with vitamin A deficiency during Human Immunodeficiency Virus type 1 infection. *Arch Intern Med.* 1993;153:2149-54.

Semino-Mora MC, Leon-Monzon ME, Dalakas MC. Effect of L-carnitine on the zidovudine-induced destruction of human myotubes. Part I: L-carnitine prevents the myotoxicity of AZT in vitro. *Lab Invest.* 1994;71:102-12.

Seshadri CV. Large scale nutritional supplementation with spirulina alga. All India Coordinated Project on Spirulina. Shri Amm Murugappa Chettiar Research Center, Madras, India; 1993.

- Shah SA, Sander S, White CM, et al. Evaluation of echinacea for the prevention and treatment of the common cold: A meta-analysis. *Lancet Infect Dis.* 2007;7:473-80.
- Shahaniand. Anticarcinogenic and immunological properties of dietary lactobacilli. *J Food Protect.* 1990;53:740-810.
- Shamir E, Laudon M, Barak Y, et al. Melatonin improves sleep quality of patients with chronic schizophrenia. *J Clin Psychiatry.* 2000;61:373-7.
- Shanmugasundaram ER, Gopinath KL, Shanmugasundaram KR, Rojendran VM. Possible regeneration of the islets of Langerhans in streptozotocin-diabetic rats given *Gymnema sylvestre* leaf extracts. *J Ethnopharmacol.* 1990;30:265-79.
- Shanmugasundaram ER, Panneerselvam C, Samudram P, Shanmugasundaram ER. Enzyme changes and glucose utilisation in diabetic rabbits: The effect of *Gymnema sylvestre*, R.Br. *J Ethnopharmacol.* 1983;7:205-34.
- Shanmugasundaram ER, Rajeswari G, Baskaran K et al. Use of *Gymnema sylvestre* leaf in the control of blood glucose in insulin-dependent diabetes mellitus. *J Ethnopharmacol.* 1990;30:281-94.
- Shibata S, Tanaka O, Shoji J, et al. Chemistry and pharmacology of Panax. In: Wagner H, Hikino H, Farnsworth NR, eds. *Economic and Medicinal Plant Research.* Vol. 1. London, England: Academic Press;1985.
- Shida T, et al. Effect of aloe extract on peripheral phagocytosis in adult bronchial asthma. *Planta Medica.* 1985;51:273-5.
- Shield MJ. Anti-inflammatory drugs and their effects on cartilage synthesis and renal function. *Eur J Rheumatol Inflamm.* 1993;13:7-16.
- Shin MH, Holmes MD, Hankinson SE, et al. Intake of dairy products, calcium, and vitamin d and risk of breast cancer. *J Natl Cancer Inst.* 2002;94:1301-11.
- Shults CW, Oakes D, Kieburtz K, et al. Effects of coenzyme Q10 in early Parkinson disease: Evidence of slowing of the functional decline. *Arch Neurol.* 2002;59:1541-50.
- Sikora R, et al. Ginkgo biloba extract in the therapy of erectile dysfunction. *J Urol.* 1989;141:188A.
- Silagy C, Neil A. Garlic as a lipid-lowering agent—A meta-analysis. *J Royal Coll Physician.* 1994;28:39-45.
- Silagy C, Neil A. A meta-analysis of the effect of garlic on blood pressure. *J Hypertens.* 1994;12:463-8.
- Simon JA, Hudes ES. Serum ascorbic acid and gallbladder disease prevalence among U.S. adults. *Arch Intern Med.* 2000;160:931-6.
- Singh NN, Ellis CR, Singh YN, et al. A double-blind, placebo-controlled study of the effects of kava (Kavatrol) on daily stress and anxiety in adults. *Altern Ther Health Med.* 1998;4:97-8.
- Singh RB, Neki NS, Kartikey K, et al. Effect of coenzyme Q10 on risk of atherosclerosis in patients with recent myocardial infarction. *Mol Cell Biochem.* 2003;246:75-82.

- Singh RB, Niaz MA, Agarwal P, et al. A randomised, double-blind, placebo-controlled trial of L-carnitine in suspected acute myocardial infarction. *Postgrad Med J* 1996;72:45-50.
- Singh RB, Niaz MA, Rastogi SS, et al. Effect of hydrosoluble coenzyme Q10 on blood pressures and insulin resistance in hypertensive patients with coronary artery disease. *J Hum Hypertens*. 1999;13:203-8.
- Slattery ML, Benson J, Curtin K, et al. Carotenoids and colon cancer. *Am J Clin Nutr*. 2000;71:575-82.
- Snijder MB, van Schoor NM, Pluijm SM, et al. Vitamin D status in relation to one-year risk of recurrent falling in older men and women. *J Clin Endocrinol Metab*. 2006;91:2980-5.
- Soja AM, Mortensen SA. Treatment of congestive heart failure with coenzyme Q10 illuminated by meta-analyses of clinical trials. *Mol Aspects Med*. 1997;18:S159-68.
- Sokeland J, Albrecht J. A combination of Sabal and Urtica extract vs. Finasteride in BPH. Comparison of therapeutic effectiveness in a 1 year, double-blind study. *Urologe A*. 1997;36:327-33.
- Soni KB, Kuttan R. Effect of oral curcumin administration on serum peroxides and cholesterol levels in human volunteers. *Indian J Physiol Pharmacol*. 1992;36:273-5.
- Sontakke S, Thawani V, Pimpalkhute S, et al. Open, randomized, controlled clinical trial of *Boswellia serrata* extract as compared to valdecoxib in osteoarthritis of knee. *Indian J Pharmacol*. 2007;39:27-9.
- Sorgi PJ, Hollowell EM, Hutchins HL, Sears B. *Nutrition J*. 2007;6:16.
- Sotaniemi EA, Haapakoski E, Rautio A. Ginseng therapy in non-insulin dependent diabetic patients. *Diabetes Care*. 1995;18:1373-5.
- Spagnoli A, et al. Long-term acetyl-L-carnitine treatment in Alzheimer's disease. *Neurology*. 1991;41:1726-32.
- Spasov AA, Ostrovskij OV, Chernikov MV, Wikman G. Comparative controlled study of *Andrographis paniculata* fixed combination, Kan Jang and an Echinacea preparation as adjuvant, in the treatment of uncomplicated respiratory disease in children. *Phytother Res*. 2004;18:47-53.
- Srivasta Y, Bhatt HV, Prem AS et al. Hypoglycemic and life-prolonging properties of *Gymnema sylvestre* leaf extract in diabetic rats. *Isr J Med Sci*. 1985;21:540-2.
- Stahl W, et al. Carotenoids and carotenoids plus vitamin E protect against ultraviolet light induced erythema in humans. *Am J Clin Nutr*. 2000;71:795-8.
- Stampfer MJ, et al. Vitamin E consumption and the risk of coronary artery disease in women. *New Engl J Med*. 1993;328:1444-8.
- Steger W. A randomized, double-blind study to compare the effectiveness of a plant based combination of metabolic substances to a synthetic antidepressant in depressive states. *Zeitschrift Allg Med*. 1985;61:914-8.
- Steiner M, Lins RS. Changes in platelet function and susceptibility of lipoproteins to oxidation associated with administration of aged garlic extract. *J Cardiovasc Pharmacol*. 1998;31:904-8.
- Steinmetz KA, Kushi LH, et al. Vegetables, fruit, and colon cancer in the Iowa women's health study. *Am J Epidemiol*. 1994;139:1-5.

- Stengler A, Stengler M. *Build Strong Bones*. Green Bay, WI: Impakt Communications; 1998:11-12.
- Stenson WF, et al. Dietary supplementation with fish oils in ulcerative colitis. *Ann Intern Med*. 1992;116:609-14.
- Stephens NG, Parsons A, Schofield PM, et al. Randomised controlled trial of vitamin E in patients with coronary disease: Cambridge Heart Antioxidant Study (CHAOS). *Lancet*. 1996;347:781-6.
- Stoll AL, Severus WE, Freeman MP, et al. Omega 3 fatty acids in bipolar disorder: A preliminary double-blind, placebo-controlled trial. *Arch Gen Psychiatry*. 1999;56:407-12.
- Stoll W. Phytopharmakon influences atrophic vaginal epithelium: Double-blind study-Cimicifuga vs. estrogenic substances. *Therapeutikon*. 1987;1:23-30.
- Stolze H. An alternative to treat menopausal symptoms. *Gyne*. 1982;1:14-16.
- Stolze H, Forth H. A treatment with antibiotics can be optimized by additional immunostimulation. *Der Kassenarzt*. 1983;50:43-8.
- Straub RH, Vogt D, Gross V, Lang B, Schölmerich J, Andus T. Association of humoral markers of inflammation and dehydroepiandrosterone sulfate or cortisol serum levels in patients with chronic inflammatory bowel disease. *Am J Gastroenterol*. 1998;93:2197-202.
- Streppeln MT, Ocke MC, Boshuizen HC, et al. Dietary fiber intake in relation to coronary heart disease and all-cause mortality over 40 y: The Zutphen Study. *Am J Clin Nutr*. 2008;88:1119-25.
- Stute P, Nisslein T, Gotte M, et al. Effects of black cohosh on estrogen biosynthesis in normal breast tissue in vitro. *Maturitas*. 2007;20;57:382-91.
- Su KP, Huang SY, Chiu CC, Shen WW. Omega-3 fatty acids in major depressive disorder. A preliminary double-blind, placebo-controlled trial. *Eur Neuropsychopharmacol*. 2003;13:267-71.
- Suleiman SA, Ali ME, Zaki ZM, et al. Lipid peroxidation and human sperm motility: Protective role of vitamin E. *J Androl*. 1996;17:530-7.
- Sung MK, Lautens M, Thompson LU. Mammalian lignans inhibit the growth of estrogen-independent human colon tumor cells. *Anticancer Res*. 1998;18:1405-8.
- Syed TA, Ahmad SA, Holt AH, et al. Management of psoriasis with Aloe vera extract in a hydrophilic cream: A placebo-controlled, double blind study. *Tropical Med Int Health*. 1996;1:505-9.
- Szelenyi I, Isaac O, Thiemer K. Pharmacological experiments with compounds of chamomile/III. Experimental studies of the ulcer-protective effect of chamomile. *Planta Medica*. 1979;35:218-27.
- Sziklai I, Komora V, Ribari O. Double-blind study of the effectiveness of a bioflavonoid in the control of tinnitus in otosclerosis. *Acta Chirurgica Hungarica*. 1992-93;33:101-7.
- Takahashi T, et al. Effect of Eleutherococcus senticosus extract on human working capacity. *Planta Medica*. 1986;37:175-7.
- Takahashi J, Kawakatsu K, Wakayama T, Sawaoka H. Elevation of serum theophylline levels by ipriflavone in a patient with chronic obstructive pulmonary disease. *Eur J Clin Pharmacol*. 1992;43:207-8.

Tamborini A, Taurelle R. Value of standardized Ginkgo biloba extract (Egb 761) in the management of congestive symptoms of premenstrual syndrome. *Rev Fr Gynecol Obstet.* 1993;88:447-57.

Tapadinhas MJ et al. Oral Glucosamine sulfate in the management of arthrosis: Report on a multi-centre open investigation in Portugal. *Pharmatherapeutica.* 1982;3:157-68.

Tassman GC, Zafran JN, Zayon GM. Evaluation of a plant proteolytic enzyme for the control of inflammation and pain. *J Dent Med.* 1964;19:73-7.

Tauchert M, Ploch M, Hubner W-D. Effectiveness of hawthorn extract LI 132 compared with catopril. *Munch Medizinische Wochenschrift.* 1994;136:27-33.

Taussig SJ, Nieper HA. Bromelain: Its use in prevention and treatment of cardiovascular disease, present status. *J IAPM.* 1979; 6:139-51.

Tavoni A, Vitali C, Bonbardieri S, Pasero G. Evaluation of S-adenosylmethionine in primary fibromyalgia. A double-blind crossover study. *Am J. Med.* 1987;83:107-10.

Teglio L, Mazzanti C, Tronconi R et al., Vaccinium myrtillus anthocyanosides (Tegens) in the treatment of venous insufficiency of lower limbs and acute piles in pregnancy. *Quaderni di Clinica Osterica e Ginecologica.* 1987;42:221-231.

Thomas MK, et al. Hypovitaminosis D in medical inpatients. *N Engl J Med.* 1998;338:777-83.

Tokorozawa S. Effect of Korean red ginseng on psychological functions in patients with severe climacteric syndromes. *Int J Gynaecol Obstet.* 1999;169-74.

Tomomatsu H. Health effects of oligosaccharides. *Food Technol.* 1994:61-65

Tseui J et al. A food allergy study utilizing the EAV acupuncture technique. *Am J Acupuncture.* 1984;12:105.

US Environmental Protection Agency. *1987-1994 Toxic Release Inventory National Report.* Washington, DC: Office of Toxic Substances; 1995.

Vandierendouck EJ, Burkhardt P. The extract of Radicus Urticae for fibromyadenoma of the prostate with nightly pollakuria. Study for testing the effect of ZY 15095 (Simic®). *Therapiewoche Schweiz.* 1986;10:892-5.

van Vollenhoven RF, Engleman EG, McGuire JL. Dehydroepiandrosterone in systemic lupus erythematosus. Results of a double-blind, placebo-controlled, randomized clinical trial. *Arthritis Rheum.* 1995;38:1826-31.

Venkataraghavan S, Seshadri C, Sundaresan TP, et al. The comparative effect of milk fortified with ashwagandha, ashwagandha and punarnava in children: A double-blind study. *J Res Ayur Sid.* 1980;1:370-85.

Venkatakrisna-Bhatt H, Srivastava Y, Jhala CI et al. Effect of Gymnema sylvestre, R.Br. leaves on blood sugar and longevity of alloxan diabetic rats. *Indian J Pharmacol.* 1981;13:99.

Vetter G. Double-blind comparative clinical trial with S-adenosylmethionine and indomethacin in the treatment of osteoarthritis. *Am J Med.* 1987;3:78-80.

Vijayalami BZ, Reiter RJ et al. Melatonin protects human blood lymphocytes from radiation induced chromosome damage. *Mutat Res.* 1995;346:23-31.

Vincent HK, Bourguignon CM, Vincent KR, Taylor AG. Effects of alpha-lipoic acid supplementation in peripheral arterial disease: a pilot study. *J Alt Complement Med.* 2007;13:577-84.

Voberg G. Ginkgo biloba extract (GBE): A long term study of chronic cerebral insufficiency in geriatric patients. *Clin Trials J.* 1985;22:149-57.

Vogiatzoglou A, Refsum H, Johnston C, Smith SM, et al. Vitamin B-12 status and rate of brain volume loss in community-dwelling elderly. *Neurology.* 2008;71:826-32.

Volz HP, Kieser M. Kava kava extract WS 1490 versus placebo in anxiety disorders. A randomized placebo-controlled 25-week outpatient trial. *Pharmacopsychiat.* 1997;20:1-5.

Vorbach EU, Arnoldt KH, Hubner WD. Efficacy and tolerability of St. John's wort extract LI60 versus imipramine in patients with severe depressive episodes according to ICD-10. *Pharmacopsychiatry.* 1997;30(suppl):81-5.

Vorbach EU, Gortelmeyer R, Bruining J. Therapy for insomnia: Efficacy and tolerability of a valerian preparation. *Psychopharmakotherapie.* 1996;3:109-15.

Vuksan V et al. American ginseng (*Panax quinquefolius L*) reduces postprandial glycemia in nondiabetic subjects and subjects with type 2 diabetes mellitus. *Arch Intern Med.* 2000;160:1009-13.

Vynograd N, Vynograd I, Sosnowski Z, A comparative multi-centre study of the efficacy of propolis, acyclovir and placebo in the treatment of genital herpes. *Phytomedicine* 2000 Mar;7(1):1-6.

Wagner H, Dorsch W, Bayer T, Breu W, Willer F. Antiasthmatic effects of onions: Inhibition of 5-lipoxygenase and cyclooxygenase in vitro by thiosulfonates and "Cepaenes." *Prostaglandins Leukot Essent Fatty Acids.* 1990;39:59-62.

Walaszek Z. Chemopreventive properties of D-glucaric acid derivatives. *Cancer Bull.* 1993;45:453-7.

Walaszek Z, et al. Potential use of D-Glucaric acid derivative in cancer prevention. *Cancer Letters.* 1990;54:1-8.

Walker AF, et al. Magnesium supplementation alleviates premenstrual symptoms of fluid retention. *J Womens Health.* 1998;7:1157-65.

Wang H, Wu Y. Inhibitory effect of Chinese tea on N-nitrosation in vitro and in vivo. *IARC Sci Pub.* 1991;105:546-49.

Wang HH, Chung JG, Ho CC, Aloe-emodin effects on arylamine n-acetyltransferase activity in the bacterium *Helicobacter pylori*. *Planta Medica.* 1998;64:176-8.

Wang TJ, Pencina MJ, Booth SL, et al. Vitamin D deficiency and risk of cardiovascular disease. *Circulation.* 2008;117:503-11.

- Warnecke G. Influencing menopausal symptoms with a phytotherapeutic agent. *Die Medizinische Welt*. 1985;36:871-4.
- Watson CP, Evans RJ. The postmastectomy pain syndrome and topical capsaicin: A randomized trial. *Pain*. 1992;51:275-9
- Weigl A, Assmus KD, Neukum-Schmidt A et al. Crataegus special extract WS 1442. Objective proof of effectiveness for patients with heart failure (NYHA II). *Fortschritte Medizin*. 1996;114:291-6.
- Weiss R. *Herbal Medicine*. Beaconsfield, England: Beaconsfield Arcanum; 1988:40.
- Weizman Z, Alkinrawi S, Goldfarb D et al. Efficacy of herbal tea preparation in infantile colic. *J Pediatr*. 1993;122:650-2.
- Whyte J, McArthur R, Topping D, et al. Oat bran lowers plasma cholesterol levels in mildly hypercholesterolemic men. *Am J Clin Nutr*. 1983;37:699.
- Wilkins CH, Sheline YI, Roe CM, et al. Vitamin D deficiency is associated with low mood and worse cognitive performance in older adults. *Am J Geriatr Psychiatry*. 2006;14:1032-40.
- Williams C, et al. Influence of dietary neosugar on selected bacterial groups of the human faecal microbiota. *Microb Ecol Health Dis*. 1994;7:91-7.
- Wilt J, et al. Saw palmetto extracts for treatment of benign prostatic hyperplasia: A systematic review. *JAMA*. 1998;280:1604-9.
- Woelk H, Burkard G, Grunwald J. Benefits and risks of the hypericum extract LI 160: Drug monitoring study with 3,250 patients. *J Geriatric Psychiatr Neurol*. 1994;7(suppl):S34-8.
- Wuttke W et al. Treatment of cyclical mastalgia with a medication containing Agnus castus: Results of a randomized, placebo-controlled, double-blind study. *Geburtshilfe Frauenheilkunde*. 1997;57:569-74.
- Yamazaki I, Kinoshita M. Calcitonin secreting property of ipriflavone in the presence of estrogen. *Life Sci*. 1986;38:1535-41.
- Yang G, Shu XO, Li H, et al. Prospective cohort study of green tea consumption and colorectal cancer risk. *Cancer Epidemiol Biomarkers Prev*. 2007;16:1219-23.
- Yongchaiyudha S, et al. Antidiabetic activity of Aloe vera L. juice. I. Clinical trial in new cases of diabetes mellitus. *Phytomedicine*. 1996;3:241-3.
- Yunde H, Guoliang M, Shuhua W, et al. Effects of radix astragali seu hedysari on the interferon system. *Chinese Med J*. 1981;94:35-40.
- Zamora SA, Rizzoli R, Belli DC, et al. Vitamin D supplementation during infancy is associated with higher bone mineral mass in prepubertal girls. *J Clin Endocrinol Metab*. 1999;84:4541-5.
- Zava D, Dollbaum C, Blen M. Estrogen and progestin bioactivity of foods, herbs, spices. *Proc Soc Experi Biol Med*. 1998;217:369-78.

Zhang C, et al. The effects of polysaccharide and phycocyanin from spirulina platensis variety on peripheral blood and hematopoietic system of bone marrow in mice. Second Asia Pacific Conference on Alga Biotechnology, April 25-27, 1994:58.

Ziegler D, Hanefeld M, Ruhnau KJ, et al. Treatment of symptomatic diabetic polyneuropathy with the antioxidant alpha-lipoic acid: A 7-month multicenter randomized controlled trial (ALADIN III Study). ALADIN III Study Group. Alpha-Lipoic Acid in Diabetic Neuropathy. *Diabetes Care*. 1999;22:1296-301.

Ziegler D, Schatz H, Conrad F, et al. Effects of treatment with the antioxidant alpha-lipoic acid on cardiac autonomic neuropathy in NIDDM patients. A 4-month randomized controlled multicenter trial (DEKAN Study). Deutsche Kardiale Autonome Neuropathie. *Diabetes Care*. 1997;20:369-73.

Zhang ZL, Wen QZ, Liu CX. Hepatoprotective effects of astragalus root. *J Ethnopharmacol*. 1990;30:145-9.